







Product Type: Terminal block

Product Name: X2-E50P-NZ

Product Description: 50mm ordinary base, MDR connector input, MC-DTP/TP terminal 50 outputs, no status indicator relay module.

Product Size



Parameters

 SUPU ID	X2-E50P-NZ
 Number of connections	50
 Protection Level	IP20

⌘ Operating temperature range	-20°C-+70°C
-------------------------------	-------------

⌘ Mounting Type	35mm DIN/screw mounting
-----------------	-------------------------

Technical data

⌘ Overvoltage category	II
⌘ Degree of pollution	2
⌘ Stripping length	9-10mm
⌘ Cable cross section (AWG)	500VAC/1min
⌘ Insulation Resistance	500MΩ
⌘ Wire Range	28-16AWG
⌘ Coil Current	/
⌘ Load Current	1A
⌘ Coil Voltage	/

Commercial data

⌘ Order No	X2-E50P-NZ
⌘ Packing unit	PCS
⌘ Minimum order quantity	5

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Ningbo SUPU Electronics Co., Ltd.

Service Hotline: 400-626-6336



Wechat

Date:2025-10-27 18:04

The right to modify data belongs to SUPU.